

JUL 14 2005 5:34AM
TO:USPTO - F RECEIPT

VARIAN, INC.

NO. 0647 P. 1

RECEIVED
CENTRAL FAX CENTER

JUL 14 2005

Varian, Inc.
3120 Hansen Way, M/S D-102
Palo Alto, CA 94304-1030 U.S.A.

To Office of Initial Patent Examination
Filing Receipt Corrections

Company UNITED STATES PATENT AND TRADEMARK OFFICE

Fax number 1.703.746.9195

Phone: 650.424.5086
Fax: 650.424.3827

bella.fishman@varianinc.com
www.varianinc.com

From Bella Fishman

Date July 14, 2005

Subject US Patent Application No. 10/524,283
Filing Date: February 10, 2005
Our Docket No. 03-20 US



Pages (including this sheet) 3

I, Debbie Kus, hereby certify that on July 14, 2005 this correspondence is being transmitted by facsimile to the Office of Initial Patent Examination Filing Receipt Corrections at 1.703.746.9195 at the US Patent and Trademark Office.

Debbie Kus 7/14/05
Signature Date Signed

Please find attached the following documents:

- Request for Corrected Filing Receipt
- Copy of Filing Receipt with Corrections

This fax transmission may be confidential and subject to attorney-client, attorney work product and/or other legal privileges. If you are not the intended recipient or the person responsible for delivery to the intended recipient, you may not read, use, copy or distribute this fax transmission. If you received this fax transmission in error, please immediately notify by telephone the person who sent it, and return to that person by mail the original transmission and any copies thereof.

If you have any problems receiving this fax transmission, please call (650) 424-4814.

fax

BEST AVAILABLE COPY

JUL 14 2005 5:34AM

VARIAN, INC.

RECEIVED
CENTRAL FAX CENTER

NO. 0647 P. 2

JUL 14 2005

Docket No.: 03-20 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Perkins, et al.

Serial No.: 10/524,283

Filed: February 10, 2005

Title: METHODS AND APPARATUS FOR
LEAK DETECTION BY THE
ACCUMULATION METHOD

Examiner: Not Assigned

Art Unit: 2856

I, Debbie Kus, hereby certify that on July 14, 2005 this correspondence is being transmitted by facsimile to the Office of Initial Patent Examination Filing Receipt Corrections, at 1:703 746.9195 at the US Patent and Trademark Office.

Signature

Date Signed

Office of Initial Patent Examination
Filing Receipt Corrections
Facsimile No. 1.703.746.9195

REQUEST FOR CORRECTED FILING RECEIPT

Sir:

Applicants hereby request that a corrected Filing Receipt be issued for the above-identified patent application.

The official Filing Receipt received by the Applicants, a copy of which is attached hereto, needs to be corrected as follows:

1. Please change Domestic Priority data as claimed by applicant from "This application is a 371 of PCT/US04/18352 06/09/2004" to -- UNITED STATES OF AMERICA 60477674 06/11/2003 --.
2. Please change Foreign Applications from "UNITED STATES OF AMERICA 60477674 06/11/2003" to -- This application is a 371 of PCT/US04/18352 06/09/2004 --.

The Applicants additionally request that all pertinent Patent and Trademark Office records relating to the subject application be changed to reflect the corrections indicated above. Should any fee be required, please charge these fees to our Deposit Account No. 50-0895.

Respectfully submitted,



Bella Fishman
Agent for Applicants
Registration No. 37,485

Date: July 14, 2005

Varian, Inc.
3120 Hansen Way, M/S D-102
Palo Alto, CA 94304
(650) 424-5086
bella.fishman@varianinc.com

BEST AVAILABLE COPY

JUL 14. 2005 5:34AM

VARIAN, INC.

NO. 0647 P. 3

Page 1 of 2



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
----------	---------------------------	----------	---------------	-----------------	----------	----------	----------

10/524,283	02/10/2005	2856	900	03-20 US	2	19	2
------------	------------	------	-----	----------	---	----	---

23693
Varian Inc.
Legal Department
3120 Hansen Way D-102
Palo Alto, CA 94304

RECEIVED
JUN 24 2005

LEGAL DEPARTMENT

CONFIRMATION NO: 6390

FILING RECEIPT



OC00000016288929

Date Mailed: 06/17/2005

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Charles Perkins, Boston, MA; ✓
Pieter N. Palenstijn, Plympton, MA; ✓

Power of Attorney: The patent practitioners associated with Customer Number 23693. ✓

Domestic Priority data as claimed by applicant

~~This application is a 371 of PCT/US04/18352 08/09/2004~~
UNITED STATES OF AMERICA 60477674 06/11/2003

Foreign Applications

~~UNITED STATES OF AMERICA 60477674 08/11/2003~~

This application is a 371 of PCT/US04/18352 06/09/2004

Projected Publication Date: 09/22/2005

Non-Publication Request: No

Early Publication Request: No

Title

Methods and apparatus for leak detection by the accumulation method ✓

BEST AVAILABLE COPY